

**CHARACTERISTICS:**

Linear slot diffusers with blade deflectors on panel in aluminium standard version DLF-P and Fine Line version DLF-P-FL.

CONSTRUCTION:

Linear diffuser in aluminium, panel all painted RAL 9010.

UTILIZATION:

For ceiling installation for air intake or supply.
Installation height: 2,5-3,1 m.

FIXING:

With panel of modular ceiling.

ACCESSORIES:

Galvanized steel connecting plenum with insulation.

DLFP10 DIFFUSORE STANDARD - STANDARD DIFFUSER (WITHOUT SLIDING CONTROL DAMPER AND DEFLECTORS)								
DIMENSIONI PANNELLO PANEL SIZE	NUMERO FERITOIE - NUMBER SLOTS							
BxA	1	2	3	4	5	6	7	8
mm	A	A	A	A	A	A	A	A
600 x 300	88,55	98,28	106,72	115,14	124,12	132,98	-	-
900 x 300	103,43	114,70	126,09	137,47	148,84	160,35	-	-
1200 x 300	124,55	140,65	156,51	172,60	188,59	204,56	-	-
1350 x 300	136,81	154,11	171,39	188,69	205,88	223,06	-	-
600 x 600	112,63	121,48	130,36	139,21	148,19	157,07	165,92	174,89
1200 x 600	162,86	178,84	194,82	210,80	226,89	242,87	258,85	274,71
675 x 675	118,20	127,73	137,24	146,83	156,30	165,82	175,34	184,86
1350 x 675	184,97	202,26	219,55	236,85	254,03	271,22	288,50	305,80

Let op: bovenstaande prijzen zijn in € bruto, excl. 21% BTW; vraag Pairdirect voor een netto aanbieding!

DLFP20 DIFFUSORE CON ALETTE DEFLETTRICI - DIFFUSER WITH DEFLECTORS								
DIMENSIONI PANNELLO PANEL SIZE	NUMERO FERITOIE - NUMBER SLOTS							
BxA	1	2	3	4	5	6	7	8
mm	A	A	A	A	A	A	A	A
600x300	91,94	103,98	116,79	128,49	140,65	152,79	-	-
900x300	108,14	124,23	140,31	156,30	172,49	188,59	-	-
1200x300	130,79	152,79	175,02	197,12	219,33	241,44	-	-
1350x300	143,82	167,90	191,97	216,05	240,13	264,21	-	-
600x600	115,91	128,06	140,31	152,57	164,73	176,86	189,02	201,28
1200x600	169,10	191,21	213,32	235,42	257,64	279,75	301,86	323,96
675 x 675	121,93	135,06	148,31	161,45	174,68	187,81	200,94	214,19
1350 x 675	191,97	216,05	240,13	264,32	288,40	312,26	336,44	360,52

Let op: bovenstaande prijzen zijn in € bruto, excl. 21% BTW; vraag Pairdirect voor een netto aanbieding!

DLFP30 DIFFUSORE CON SERRANDA A SCORRIMENTO - DIFFUSER WITH SLIDING CONTROL DAMPER								
DIMENSIONI PANNELLO PANEL SIZE	NUMERO FERITOIE - NUMBER SLOTS							
BxA	1	2	3	4	5	6	7	8
mm	A	A	A	A	A	A	A	A
600x300	94,78	108,79	122,92	136,81	150,83	164,83	-	-
900x300	111,97	130,46	148,97	167,45	186,06	204,56	-	-
1200x300	135,93	161,32	186,83	212,22	237,72	263,11	-	-
1350x300	149,40	177,09	204,78	232,47	260,16	287,85	-	-
600x600	118,86	132,87	146,88	160,89	174,89	188,91	202,91	216,70
1200x600	174,24	199,63	225,14	250,53	276,02	301,42	326,93	352,31
675x675	125,11	140,21	155,42	170,52	185,74	200,94	216,05	231,15
1350x675	197,56	225,25	252,94	280,63	308,32	336,01	363,80	391,39

Let op: bovenstaande prijzen zijn in € bruto, excl. 21% BTW; vraag Pairdirect voor een netto aanbieding!




DLFP40 DIFFUSORE CON ALETTE DEFLETTRICI E SERRANDA A SCORRIMENTO - DIFFUSER WITH SLIDING CONTROL DAMPER AND DEFLECTORS								
DIMENSIONI PANNELLO PANEL SIZE	NUMERO FERITOIE - NUMBER SLOTS							
BxA	1	2	3	4	5	6	7	8
mm	A	A	A	A	A	A	A	A
600x300	100,69	121,71	142,72	163,63	184,53	205,55	-	-
900x300	116,89	141,85	166,80	191,65	216,61	241,55	-	-
1200x300	141,85	171,07	201,39	229,84	259,17	289,38	-	-
1350x300	155,98	188,25	219,01	251,73	283,25	315,33	-	-
600x600	122,58	138,46	155,42	170,73	186,94	202,91	219,78	235,09
1200x600	180,16	210,14	238,82	267,93	297,70	326,81	355,82	385,26
675x675	129,15	146,22	163,63	181,15	199,20	217,04	234,43	251,19
1350x675	204,45	235,97	267,93	300,76	331,41	364,36	396,20	426,85

Let op: bovenstaande prijzen zijn in € bruto, excl. 21% BTW; vraag Pairdirect voor een netto aanbieding!

Prezzo - Price DLF-P-FL: +10%

DISEGNI - DRAWINGS



MISURE - MEASURES

PANNELLO - PANEL			
B	A	L standard	L fine line
600	300	530	518
900	300	830	818
1200	300	1130	1118
1350	300	1280	1268
600	600	530	518
1200	600	1130	1118
675	675	605	593
1350	675	1280	1268



FERITOIE - SLOTS			
N°	C	E	F
1	16	40	50
2	54	78	89
3	94	117	128
4	130	155	165
5	168	192	202
6	206	230	240
7	242	266	276
8	279	303	313

Quota "L" riducibile a richiesta
Measure "L" having reduced on inquiry

					
N. FERITOIE - N. SLOTS	LUNGHEZZA PANNELLO LENGHT PANEL	D - N. COLLARI - D - N. SPIGOTS	S	PDL	PDLI
N.	mm			A	A
1	600	98-1	54	53,85	62,20
	675	98-1	54	53,85	62,20
	900	98-1	54	59,91	69,22
	1200	98-2	54	81,83	97,87
	1350	98-2	54	91,01	109,67
2	600	148-1	93	53,85	62,20
	675	148-1	93	53,85	62,20
	900	148-1	93	59,91	69,22
	1200	148-2	93	81,83	97,87
	1350	148-2	93	91,01	109,67
3	600	198-1	132	56,69	66,49
	675	198-1	132	56,69	66,49
	900	198-1	132	63,01	73,89
	1200	198-2	132	84,61	102,12
	1350	198-2	132	94,11	113,56
4	600	198-1	169	56,69	66,49
	675	198-1	169	56,69	66,49
	900	198-2	169	63,01	73,89
	1200	198-3	169	84,61	102,12
	1350	198-3	169	94,11	113,56
5	600	248-1	206	59,55	69,83
	675	248-1	206	59,55	69,83
	900	248-1	206	66,16	77,59
	1200	248-2	206	88,86	107,29
	1350	248-2	206	98,81	119,23
6	600	248-1	244	62,34	73,13
	675	248-1	244	62,34	73,13
	900	248-2	244	69,30	81,31
	1200	248-2	244	93,24	112,46
	1350	248-2	244	103,58	124,94
7	600	248-1	280	65,11	76,53
	675	248-1	280	65,11	76,53
	900	248-2	280	72,42	85,01
	1200	248-3	280	97,34	117,51
	1350	248-3	280	108,22	130,64
8	600	248-1	317	68,03	79,85
	675	248-1	317	68,03	79,85
	900	248-2	317	75,60	88,73
	1200	248-3	317	101,60	122,68
	1350	248-3	317	113,00	136,34

Let op: bovenstaande prijzen zijn in € bruto, excl. 21% BTW; vraag Pairedirect voor een netto aanbieding!

DISEGNI - DRAWINGS



Numero feritoie - Number slots	mq	mc/h	mc/h	dB(A)	dB(A)	m	m	pa	pa
1	0,01	60	130	32	46	3,1	6,9	10	50
2	0,01	110	260	33	47	4,1	9,2	10	50
3	0,02	170	400	34	48	4,8	11	10	50
4	0,02	230	530	35	49	5,6	12,5	10	50
5	0,03	290	660	35	49	6,1	13,8	10	50
6	0,03	350	790	36	50	6,6	14,8	10	50
7	0,04	400	920	36	50	7	15,8	10	50
8	0,04	470	1060	37	51	7,5	16,8	10	50

675

Numero feritoie - Number slots	mq	mc/h	mc/h	dB(A)	dB(A)	m	m	pa	pa
1	0,01	70	150	32	46	3,1	6,9	10	50
2	0,01	130	300	33	47	4,1	9,2	10	50
3	0,02	190	450	34	48	4,8	11	10	50
4	0,02	260	600	35	49	5,6	12,5	10	50
5	0,03	330	750	35	49	6,1	13,8	10	50
6	0,04	390	900	36	50	6,6	14,8	10	50
7	0,04	460	1040	36	50	7	15,8	10	50
8	0,05	530	1200	37	51	7,5	16,8	10	50

900

Numero feritoie - Number slots	mq	mc/h	mc/h	dB(A)	dB(A)	m	m	pa	pa
1	0,01	90	200	32	46	3,1	6,9	10	50
2	0,02	170	400	33	47	4,1	9,2	10	50
3	0,03	260	600	34	48	4,8	11	10	50
4	0,03	360	810	35	49	5,6	12,5	10	50
5	0,04	440	1010	35	49	6,1	13,8	10	50
6	0,05	530	1210	36	50	6,6	14,8	10	50
7	0,06	620	1410	36	50	7	15,8	10	50
8	0,07	710	1620	37	51	7,5	16,8	10	50

1200

Numero feritoie - Number slots	mq	mc/h	mc/h	dB(A)	dB(A)	m	m	pa	pa
1	0,01	120	270	32	46	3,1	6,9	10	50
2	0,02	230	540	33	47	4,1	9,2	10	50
3	0,03	350	810	34	48	4,8	11	10	50
4	0,05	480	1090	35	49	5,6	12,5	10	50
5	0,06	600	1360	35	49	6,1	13,8	10	50
6	0,07	710	1630	36	50	6,6	14,8	10	50
7	0,08	830	1890	36	50	7	15,8	10	50
8	0,09	960	2180	37	51	7,5	16,8	10	50

1350

Numero feritoie - Number slots	mq	mc/h	mc/h	dB(A)	dB(A)	m	m	pa	pa
1	0,01	130	300	32	46	3,1	6,9	10	50
2	0,03	260	610	33	47	4,1	9,2	10	50
3	0,04	400	910	34	48	4,8	11	10	50
4	0,05	540	1230	35	49	5,6	12,5	10	50
5	0,06	670	1530	35	49	6,1	13,8	10	50
6	0,08	800	1840	36	50	6,6	14,8	10	50
7	0,09	940	2140	36	50	7	15,8	10	50
8	0,1	1080	2460	37	51	7,5	16,8	10	50