

SSZC100



SSZC100/80

↑	BASE B mm							
	200	300	400	500	600	700	800	900
H mm	A	A	A	A	A	A	A	A
210	53,28	58,74	64,75	70,08	76,22	81,55	87,56	93,02
310	60,23	67,76	73,09	80,06	86,88	93,02	99,05	105,19
410	67,76	75,41	82,25	89,89	96,71	104,36	111,19	118,16
510	75,41	83,05	91,40	99,85	107,37	115,84	123,49	131,00
610	82,25	91,40	100,55	109,70	118,16	127,33	135,65	143,30
710	90,70	99,85	109,70	119,66	128,82	138,65	147,82	156,14
810	99,05	109,00	118,85	129,49	139,47	150,13	159,96	169,11
910	105,87	117,35	127,99	139,47	150,13	160,78	171,44	181,41
1010	113,51	125,00	137,14	148,62	160,78	172,26	183,60	193,56
1110	121,16	133,33	145,89	158,46	171,03	183,18	195,47	206,14
1210	128,82	141,65	154,64	168,43	181,41	194,26	207,23	218,70
1310	136,05	150,13	163,79	177,87	192,07	205,72	219,39	231,28
1410	143,30	158,46	172,94	187,42	202,71	217,20	231,69	243,84
1510	152,72	168,02	182,92	197,66	212,56	227,45	242,33	255,99
1610	162,28	177,58	192,75	208,05	222,54	237,69	252,99	268,16
1710	170,08	186,06	201,90	217,89	232,91	248,90	264,73	280,73
1810	177,87	194,52	211,06	227,72	243,44	260,09	276,63	293,29
1910	185,65	203,00	220,21	237,55	253,81	271,17	288,37	305,71
2010	193,43	211,46	229,36	247,39	264,33	282,36	300,25	318,29

Let op: bovenstaande prijzen zijn in € bruto, excl. 21% BTW; vraag Pairedirect voor een netto aanbieding!

CHARACTERISTICS:
Duct overpressure dampers
100 mm pitch.

CONSTRUCTION:
Galvanized steel frame.
Extruded aluminium blades.

FIXING:
By bolts on flanges corners.




↑	BASE B mm							
	1000	1100	1200	1300	1400	1500	1600	1700
H mm	A	A	A	A	A	A	A	A
210	99,05	105,19	111,19	127,99	144,80	151,22	157,78	165,16
310	112,01	118,44	125,00	143,98	163,11	171,03	179,08	187,56
410	125,00	132,23	139,47	160,78	182,10	190,83	199,57	209,00
510	138,65	146,29	153,95	177,58	201,09	211,06	221,03	231,40
610	151,63	159,96	168,43	194,26	220,21	231,28	242,33	253,67
710	164,62	173,36	182,10	210,65	239,19	251,07	262,82	275,12
810	177,58	187,02	196,57	227,04	257,50	270,88	284,27	297,39
910	191,25	200,81	210,24	243,84	277,31	291,51	305,59	319,79
1010	204,22	214,46	224,72	260,63	296,43	311,18	326,08	341,23
1110	217,20	228,00	238,93	277,03	315,01	331,27	347,52	363,64
1210	230,04	241,52	252,99	293,29	333,73	351,20	368,83	385,92
1310	243,03	255,04	267,07	309,69	352,44	371,28	390,14	408,31
1410	255,99	268,57	281,12	326,08	371,02	391,23	411,46	430,59
1510	270,07	283,46	296,85	343,29	389,73	410,76	431,66	451,62
1610	284,27	298,35	312,41	360,36	408,45	430,17	451,88	472,52
1710	297,39	312,15	326,76	377,03	427,16	449,98	472,78	494,51
1810	310,64	325,94	341,10	393,56	446,01	469,92	493,83	516,36
1910	323,89	339,73	355,45	410,22	464,87	489,87	514,86	538,35
2010	337,13	353,53	369,92	426,75	483,71	509,81	535,90	560,35

Let op: bovenstaande prijzen zijn in € bruto, excl. 21% BTW; vraag Pairedirect voor een netto aanbieding!

↑ H mm	BASE B mm						
	1800	1900	2000	2100	2200	2300	2400
	A	A	A	A	A	A	A
210	172,67	180,04	187,56	224,31	232,91	241,52	250,12
310	196,03	204,50	212,97	254,78	264,47	274,30	284,01
410	218,44	227,85	237,28	283,59	294,52	305,32	316,10
510	241,79	252,18	262,56	314,06	325,94	337,95	349,84
610	265,14	276,63	287,96	344,38	357,63	370,74	383,86
710	287,41	299,71	312,15	372,93	387,13	401,21	415,41
810	310,64	323,89	337,13	402,98	418,14	433,45	448,60
910	334,00	348,34	362,54	433,45	449,84	466,23	482,62
1010	356,40	371,69	386,87	462,27	479,76	497,23	514,72
1110	379,76	396,02	412,14	492,60	511,17	529,75	548,33
1210	403,11	420,20	437,41	522,79	542,45	562,14	581,93
1310	426,49	444,50	462,68	552,97	573,87	594,77	615,67
1410	449,70	468,97	488,08	583,29	605,28	627,42	649,41
1510	471,42	491,37	511,31	611,03	633,85	656,79	679,74
1610	493,14	513,91	534,54	638,62	662,40	686,17	709,93
1710	516,09	537,68	559,40	668,28	693,13	718,00	742,71
1810	539,04	561,58	584,12	697,77	723,72	749,68	775,63
1910	561,85	585,35	608,85	727,42	754,46	781,51	808,42
2010	584,79	609,26	633,71	757,06	785,07	813,21	841,35

SSZC100/ 80 + 10% Let op: bovenstaande prijzen zijn in € bruto, excl. 21% BTW; vraag Pairedirect voor een netto aanbieding!

DRAWINGS



Series swabs as picture
Aphonic continuous seal price + 15%

Blade with conjugate operation +30%

Modello - Model	A ₁ [m ²]	v [m/s]		Q [m ³ /h]		Dp [Pa]		L _{WA} [dB(A)]	
		min	max	min	max	min	max	min	max
SSZC100 400x210	0,0840	4,9	7,8	1490	2350	40	120	41	46
SSZC100 600x210	0,1260	4,7	7,4	2130	3360	40	120	42	47
SSZC100 800x210	0,1680	4,5	7,1	2740	4320	40	120	42	47
SSZC100 1000x210	0,2100	4,4	6,9	3330	5250	40	120	42	48
SSZC100 1200x210	0,2520	4,3	6,8	3910	6160	40	120	42	48
SSZC100 1400x210	0,2940	4,2	6,7	4480	7050	40	120	43	48
SSZC100 400x410	0,1640	4,5	7,2	2680	4230	40	120	42	47
SSZC100600x410 - 400x610	0,2460	4,3	6,8	3830	6030	40	120	42	48
SSZC100800x410 - 400x810	0,3280	4,2	6,6	4930	7760	40	120	43	48
SSZC1001000x410 - 400x1010	0,4100	4,1	6,4	5990	9440	40	120	43	48
SSZC100 1200x410	0,4920	4,0	6,3	7030	11070	40	120	43	48
SSZC100 1400x410	0,5740	3,9	6,1	8040	12680	40	120	43	49
SSZC100 1600x410	0,6560	3,8	6,0	9040	14250	40	120	44	49
SSZC100 600x610	0,3660	4,1	6,5	5420	8550	40	120	43	48
SSZC100800x610 - 600x810	0,4880	4,0	6,3	6980	11000	40	120	43	48
SSZC1001000x610 - 600x1010	0,6100	3,9	6,1	8480	13370	40	120	43	49
SSZC100 1200x610	0,7320	3,8	6,0	9950	15690	40	120	44	49
SSZC100 1400x610	0,8540	3,7	5,8	11390	17960	40	120	44	49
SSZC100 1600x610	0,9760	3,6	5,7	12810	20190	40	120	44	49
SSZC100 800x810	0,6480	3,8	6,0	8950	14100	40	120	44	49
SSZC1001000x810 - 800x1010	0,8100	3,7	5,9	10880	17140	40	120	44	49
SSZC100 1200x810	0,9720	3,6	5,7	12760	20110	40	120	44	49
SSZC100 1400x810	1,1340	3,6	5,6	14610	23020	40	120	44	49
SSZC100 1600x810	1,2960	3,5	5,5	16420	25880	40	120	44	50
SSZC100 1000x1010	1,0100	3,6	5,7	13200	20800	40	120	44	49
SSZC100 1200x1010	1,2120	3,6	5,6	15490	24400	40	120	44	50
SSZC100 1400x1010	1,4140	3,5	5,5	17730	27930	40	120	44	50
SSZC100 1600x1010	1,6160	3,4	5,4	19930	31400	40	120	45	50

